

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)



SC Johnson Professional Pledge® Aerosol - Multi-Surface Cleaner

Version 1.0
Revision Date 28.02.2019

Print Date 08.10.2019
Specification Number: 350000035484
SITE FORM Number:
30000000000000023981.001

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier : SC Johnson Professional Pledge® Aerosol - Multi-Surface Cleaner

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Polishes and wax blends

Uses advised against : None known.

1.3 Details of the supplier of the safety data sheet : SC Johnson Professional Ltd.
Denby
DE5 8JZ
UK

SC Johnson Professional GmbH
Girmesgath
47803 Krefeld
EU

Telephone : +44 (0) 1773 855 100

E-mail address : talktous@scj.com

1.4 Emergency telephone number : Care Center:
UK - 0800 353 353
Ireland – 1800 409 176

Irish Poison Center:
Ireland - (01)809 2166

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Hazard classification	Hazard category	Hazards identification
Aerosol	Category 3	Pressurised container: May burst if heated.

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)



SC Johnson Professional Pledge® Aerosol - Multi-Surface Cleaner

Version 1.0

Revision Date 28.02.2019

Print Date 08.10.2019

Specification Number: 350000035484

SITE FORM Number:
30000000000000023981.001

Skin sensitisation	Category 1	May cause an allergic skin reaction.
--------------------	------------	--------------------------------------

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP)

Hazard symbols



Signal word

Warning

Contains

2-methyl-2H-isothiazol-3-one

Hazard statements

(H229) Pressurised container: May burst if heated.
(H317) May cause an allergic skin reaction.

Precautionary statements

(P101) If medical advice is needed, have product container or label at hand.
(P102) Keep out of reach of children.
(P302 + P352) IF ON SKIN: Wash with plenty of soap and water.
(P410 + P412) Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
(P501) Dispose of contents /container in accordance with local regulations.
(P210) Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
(P251) Do not pierce or burn, even after use.
(P280) Wear protective gloves.

EUH Statements

(EUH 210) Safety data sheet available on request

Additional Labelling

Use only in well-ventilated areas.
Store in a cool, dry place.
2% by mass of contents are flammable.
For professional users only

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**SC Johnson Professional Pledge® Aerosol - Multi-Surface Cleaner**

Version 1.0

Revision Date 28.02.2019

Print Date 08.10.2019

Specification Number: 350000035484

SITE FORM Number:
30000000000000023981.001

Detergents regulations : **Contains**
<= 5% non-ionic surfactants, perfume , LINALOOL,
METHYLISOTHIAZOLINONE

2.3 Other hazards : Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Hazardous components**

Chemical name	CAS-No./EC No	Reg. No	Classification according to Regulation (EC) No 1272/2008 (CLP)	Weight percent
potassium nitrite	7758-09-0 231-832-4	01-2120763964-40	Oxidizing solids Category 2 H272 Acute toxicity Category 3 H301 Short-term (acute) aquatic hazard Category 1 H400 M-Factor Acute - 1	>= 0.10 - < 0.50
2-methyl-2H-isothiazol-3-one	2682-20-4 220-239-6	01-2120764690-50	Short-term (acute) aquatic hazard Category 1 H400	>= 0.00 - < 0.10



SC Johnson Professional Pledge® Aerosol - Multi-Surface Cleaner

Version 1.0
 Revision Date 28.02.2019

Print Date 08.10.2019
 Specification Number: 350000035484
 SITE FORM Number:
 30000000000000023981.001

			Long-term (chronic) aquatic hazard Category 1 H410 Acute toxicity Category 3 H301 Acute toxicity Category 3 H311 Skin corrosion/irritation Category 1B H314 Skin sensitisation Category 1A H317 Serious eye damage Category 1 H318 Specific target organ toxicity - single exposure Category 3 H335 M-Factor Acute - 1	
--	--	--	---	--

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)



SC Johnson Professional Pledge® Aerosol - Multi-Surface Cleaner

Version 1.0
Revision Date 28.02.2019

Print Date 08.10.2019
Specification Number: 350000035484
SITE FORM Number:
30000000000000023981.001

			M-Factor Chronic - 1	
WEL substance				
ethyl alcohol	64-17-5 200-578-6	01-2119457610-43	Flammable liquids Category 2 H225	>= 1.00 - < 5.00

Additional Information

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

- Inhalation : Move to fresh air.
If breathing is affected, get medical attention.
- Skin contact : Take off all contaminated clothing immediately.
Wash off with soap and plenty of water.
Get medical attention if irritation develops and persists.
Wash contaminated clothing before re-use.
- Eye contact : Rinse with plenty of water.
Get medical attention if irritation develops and persists.
- Ingestion : If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
Rinse mouth with water.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

- Eyes : May irritate eyes.
No adverse effects expected when used as directed.
- Skin effect : May cause allergic skin reaction.
No adverse effects expected when used as directed.
- Inhalation : Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

SC Johnson Professional Pledge® Aerosol - Multi-Surface Cleaner

Version 1.0
Revision Date 28.02.2019

Print Date 08.10.2019
Specification Number: 350000035484
SITE FORM Number:
30000000000000023981.001

Ingestion : No adverse effects expected when used as directed.
: May cause irritation to mouth, throat and stomach.
: May cause abdominal discomfort.
: No adverse effects expected when used as directed.

4.3 Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable : None identified

5.2 Special hazards arising from the substance or mixture : Heating may cause an explosion.
In case of fire and/or explosion do not breathe fumes.
Exposure to decomposition products may be a hazard to health.

5.3 Advice for firefighters : In the event of fire, wear self-contained breathing apparatus.
Wear suitable protective clothing and gloves.
Refer to current EN or National standard as appropriate.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Remove all sources of ignition.

6.2 Environmental precautions : Outside of normal use, avoid release to the environment.
Prevent large amounts of product from entering drains.
Use appropriate containment to avoid environmental contamination.

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**SC Johnson Professional Pledge® Aerosol - Multi-Surface Cleaner**

Version 1.0

Revision Date 28.02.2019

Print Date 08.10.2019

Specification Number: 350000035484

SITE FORM Number:
30000000000000023981.001

6.3 Methods and materials for containment and cleaning up : If damage occurs to aerosol can:
Clean residue from spill site.
Dike large spills.
Use only non-sparking equipment.

6.4 Reference to other sections : For personal protection see section 8.
For disposal considerations see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling : For personal protection see section 8.
Do not breathe vapours or spray mist.
Avoid contact with skin and eyes.
Smoking, eating and drinking should be prohibited in the application area.
Wear personal protective equipment.
Do not use in areas without adequate ventilation.
Do not puncture.
Do not spray on a naked flame or any incandescent material.

7.2 Conditions for safe storage, including any incompatibilities : Do not freeze.
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.
Keep out of the reach of children.
Store away from food, beverages and pet food.
No decomposition if stored and applied as directed.

7.3 Specific end use(s) : Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Polishes and wax blends

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters****Occupational Exposure Limit Values**

Components	CAS-No.	mg/m3	ppm	Form of exposure	List
ethyl alcohol	64-17-5	1,920 mg/m3	1,000 ppm		UK_WELTWAS
		5,760 mg/m3	3,000 ppm		UK_WELSTEL

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)



SC Johnson Professional Pledge® Aerosol - Multi-Surface Cleaner

Version 1.0
Revision Date 28.02.2019

Print Date 08.10.2019
Specification Number: 350000035484
SITE FORM Number:
30000000000000023981.001

Refer to current EN or National standard as appropriate.

8.2 Exposure controls

- Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
- Hand protection : Wear suitable gloves.
Nitrile gloves – Thickness 0.12mm; Breakthrough time >2 hours.
The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.
Before removing gloves clean them with soap and water.
- Eye/face protection : No special requirements.
- Skin and body protection : Wash contaminated clothing before re-use.
- Other information : When using do not eat, drink or smoke.
Wash hands before breaks and at the end of workday.
- Environmental Exposure Controls : Refer to section 6.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

- Appearance : aerosol
- Colour : Colorless
- Odour : Citrus
- Odour Threshold : Test not applicable for this product type
- pH : 8.0 - 9.5
at (20 °C)
- Melting point/freezing point : 32 °F
- Initial boiling point and boiling range : 100 °C

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**SC Johnson Professional Pledge® Aerosol - Multi-Surface Cleaner**

Version 1.0

Revision Date 28.02.2019

Print Date 08.10.2019

Specification Number: 350000035484

SITE FORM Number:
30000000000000023981.001

Flash point	: > 95 °C Method: Tag Closed Cup (TCC)
Evaporation rate	: Test not applicable for this product type
Flammability (solid, gas)	: Does not sustain combustion.
Upper/lower flammability or explosive limits	: Test not applicable for this product type
Vapour pressure	: Test not applicable for this product type
Vapour density	: Test not applicable for this product type
Relative density	: 1.0 g/cm ³ at 20 °C
Solubility(ies)	: completely soluble
Partition coefficient: n-octanol/water	: Test not applicable for this product type
Auto-ignition temperature	: The substance or mixture is not classified as self heating.
Decomposition temperature	: Test not applicable for this product type
Viscosity, dynamic	: similar to water
Viscosity, kinematic	: similar to water
Explosive properties	: Test not applicable for this product type
Oxidizing properties	: Test not applicable for this product type

9.2 Other information

Other information : None identified :

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity** : No dangerous reaction known under conditions of normal use.

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**SC Johnson Professional Pledge® Aerosol - Multi-Surface Cleaner**

Version 1.0

Revision Date 28.02.2019

Print Date 08.10.2019

Specification Number: 350000035484

SITE FORM Number:
30000000000000023981.001

- 10.2 Chemical stability** : Stable under recommended storage conditions.
- 10.3 Possibility of hazardous reactions** : None known.
- 10.4 Conditions to avoid** : Extremes of temperature and direct sunlight.
- 10.5 Incompatible materials** : None known.
- 10.6 Hazardous decomposition products** : No decomposition if stored and applied as directed.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects****Acute oral toxicity**

Name	Method	Species	Dose
Product	LD50 Calculated		> 2,000 mg/kg

Acute inhalation toxicity

Name	Method	Species	Dose	Exposure time
Product	LC50 (dust and mist) Calculated		> 5 mg/l	

Acute dermal toxicity

Name	Method	Species	Dose
Product	LD50 Calculated		> 2,000 mg/kg

Acute oral toxicity

Name	Method	Species	Dose
potassium nitrite	LD50	Rat	57 mg/kg

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**SC Johnson Professional Pledge® Aerosol - Multi-Surface Cleaner**

Version 1.0

Revision Date 28.02.2019

Print Date 08.10.2019

Specification Number: 350000035484

SITE FORM Number:
30000000000000023981.001

2-methyl-2H-isothiazol-3-one	LD50	Rat	120 mg/kg

Acute inhalation toxicity

Name	Method	Species	Dose	Exposure time
potassium nitrite	No data available			
2-methyl-2H-isothiazol-3-one	LC50 (dust and mist)	Rat	0.11 mg/l	

Acute dermal toxicity

Name	Method	Species	Dose
potassium nitrite	No data available		
2-methyl-2H-isothiazol-3-one	LD50	Rat	242 mg/kg

Skin corrosion/irritation : Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation : Based on available data, the classification criteria are not met.

Skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Toxicity for reproduction : Based on available data, the classification criteria are not met.

STOT - single exposure : Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**SC Johnson Professional Pledge® Aerosol - Multi-Surface Cleaner**

Version 1.0

Revision Date 28.02.2019

Print Date 08.10.2019

Specification Number: 350000035484

SITE FORM Number:
30000000000000023981.001

STOT - repeated exposure : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION**Product** : The product itself has not been tested.**12.1 Toxicity****Toxicity to fish**

Components	End point	Species	Value	Exposure time
potassium nitrite	LC50 flow-through test Read-across (Analogy)	Oncorhynchus mykiss (rainbow trout)	0.11 mg/l	96 h
2-methyl-2H-isothiazol-3-one	LC50	Oncorhynchus mykiss (rainbow trout)	4.77 mg/l	96 h
	NOEC	Oncorhynchus mykiss (rainbow trout)	2.38 mg/l	98 d
ethyl alcohol	LC50	Fish	11,200 mg/l	96 h

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
potassium nitrite	LC50 static test Read-across (Analogy)	other aquatic crustacea: DM	1.1 mg/l	48 h

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**SC Johnson Professional Pledge® Aerosol - Multi-Surface Cleaner**

Version 1.0

Revision Date 28.02.2019

Print Date 08.10.2019

Specification Number: 350000035484

SITE FORM Number:
30000000000000023981.001

2-methyl-2H-isothiazol-3-one	EC50	Daphnia magna (Water flea)	0.998 mg/l	48 h
	NOEC	Daphnia magna	0.359 mg/l	21 d
ethyl alcohol	LC50 static test	Ceriodaphnia dubia	5,012 mg/l	48 h
	NOEC	Daphnia magna	9.6 mg/l	9 d

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
potassium nitrite	No data available			
2-methyl-2H-isothiazol-3-one	EC10	Pseudokirchneriella subcapitata (green algae)	0.024 mg/l	24 h
ethyl alcohol	EC50 Static	Chlorella vulgaris (Fresh water algae)	275 mg/l	72 h

12.2 Persistence and degradability

Component	Biodegradation	Exposure time	Summary
potassium nitrite	No data available		
2-methyl-2H-isothiazol-3-one			Not readily biodegradable.
ethyl alcohol	97 %	28 d	Readily biodegradable.

12.3 Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
potassium nitrite	No data available	-3.7 Measured
2-methyl-2H-isothiazol-3-one	3 estimated	-0.32
ethyl alcohol	3.2 estimated	-0.35 Measured

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**SC Johnson Professional Pledge® Aerosol - Multi-Surface Cleaner**

Version 1.0

Revision Date 28.02.2019

Print Date 08.10.2019

Specification Number: 350000035484

SITE FORM Number:
30000000000000023981.001**12.4 Mobility in soil**

Component	End point	Value
potassium nitrite	No data available	
2-methyl-2H-isothiazol-3-one	Koc	0.03 - 246.7
ethyl alcohol	No data available	

12.5 Results of PBT and vPvB assessment

Component	Results
potassium nitrite	Not fulfilling PBT and vPvB criteria
2-methyl-2H-isothiazol-3-one	Not fulfilling PBT and vPvB criteria
ethyl alcohol	Not fulfilling PBT and vPvB criteria

12.6 Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Product	:	Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Disposal should be in accordance with local, state or national legislation. Please recycle empty packaging.
Packaging	:	Do not re-use empty containers.

SECTION 14: TRANSPORT INFORMATION

Land transport	Sea transport	Air transport
----------------	---------------	---------------

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**SC Johnson Professional Pledge® Aerosol - Multi-Surface Cleaner**

Version 1.0

Revision Date 28.02.2019

Print Date 08.10.2019

Specification Number: 350000035484

SITE FORM Number:
30000000000000023981.001

14.1 UN number	1950	1950	1950
14.2 UN proper shipping name	Aerosols, Non-Flammable	Aerosols, Non-Flammable	Aerosols, Non-Flammable
14.3 Transport hazard class(es)	2	2	2.2
14.4 Packing group			
14.5 Environmental hazards			
14.6 Special precautions for user	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Product not transported as bulk.	Product not transported as bulk.	Product not transported as bulk.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture : This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment :

SECTION 16: OTHER INFORMATION

If applicable, revision(s) are noted by the bold bars || in left-hand margin.

Key abbreviations or acronyms used

EC - European Community
 EEC – European Economic Community
 CLP – Classification Labelling & Packaging
 EN – European Standard or European Norm
 PBT – Persistent, Bioaccumulative & Toxic
 vPvB – very persistent, very bioaccumulative
 UN – United Nations



SC Johnson Professional Pledge® Aerosol - Multi-Surface Cleaner

Version 1.0
Revision Date 28.02.2019

Print Date 08.10.2019
Specification Number: 350000035484
SITE FORM Number:
30000000000000023981.001

Evaluation methods

Unless otherwise stated in section 11, the procedure used to derive the human health classification is the relevant calculation method according to CLP regulation (EC) No 1272/2008 as amended.

Unless otherwise stated in section 12, the procedure used to derive the environmental classification is the summation of the classified components method according to CLP regulation (EC) No 1272/2008 as amended.

Full text of H-Statements

H272	May intensify fire; oxidizer.
------	-------------------------------

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.