



SAFETY DATA SHEET

LIFT

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME	LIFT
PRODUCT NO.	A054 EV
INTERNAL ID	P.35
APPLICATION	Heavy Duty, Alkaline Liquid Hard Surface Cleaner.
SUPPLIER	Evans Vanodine International Brierley Road Walton Summit Preston. PR5 8AH Tel: 01772 322 200 Fax: 01772 626 000 qclab@evansvanodine.co.uk
EMERGENCY TELEPHONE	New Safety Data Sheets - 8.30am to 4.45pm - 01772 322 200 - Mon to Fri Technical Advice - 8.30am to 4.45pm - 01772 318 818 - Mon to Fri

2 HAZARDS IDENTIFICATION

Irritating to eyes and skin.

CLASSIFICATION Xi;R36/38.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
TRISODIUM NITRILLO TRIACETATE	225-768-6	5064-31-3	5-10%	Xi;R36/38.
SODIUM METASILICATE			1-5%	C;R34. Xi;R36/38.
SODIUM DODECYL BENZENE SULPHONATE	246-680-4	25155-30-0	1-5%	Xn;R22. Xi;R36/38.
SODIUM XYLENE SULPHONATE	215-090-9	1300-72-7	1-5%	Xi;R36.
2-BUTOXYETHANOL	203-905-0	111-76-2	1-5%	Xn;R20/21/22 Xi;R36/38

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

INHALATION

Not relevant. Inhalation unlikely.

INGESTION

DO NOT INDUCE VOMITING! Drink a few glasses of water or milk. Get medical attention.

SKIN CONTACT

Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.

EYE CONTACT

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

SPECIFIC HAZARDS

By heating and fire, harmful vapours/gases may be formed.

LIFT

PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Avoid contact with eyes. Avoid contact with skin.

ENVIRONMENTAL PRECAUTIONS

Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.

SPILL CLEAN UP METHODS

Small quantities may be flushed to drains with plenty of water. Large Spillages Pick up with vacuum or absorbent solid, store in closed container for disposal.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Avoid contact with skin and eyes.

STORAGE PRECAUTIONS

Store at moderate temperatures in dry, well ventilated area. Keep in original container. Store away from Oxidising material.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	LT - ppm	LT - mg/m3	ST - ppm	ST - mg/m3
2-BUTOXYETHANOL	WEL	25 ppm(Sk)		50 ppm(Sk)	

INGREDIENT COMMENTS

WEL = Workplace Exposure Limit for COSHH assessments in the UK, -----
ST = Short-Term Exposure Limit (15 minute) & LT = Long-Term Exposure Limit (8 hours).

ENGINEERING MEASURES

Not relevant.

RESPIRATORY EQUIPMENT

Respiratory protection not required.

HAND PROTECTION

For prolonged or repeated skin contact use suitable protective gloves. (Household rubber gloves.)

EYE PROTECTION

Eye protection recommended.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Liquid	MELTING POINT (°C)	-2
COLOUR	Clear Pale Straw	pH-VALUE, CONC.	13.40
ODOUR	Faint Solvent.	SOLUTION	
SOLUBILITY	Soluble in water		
BOILING POINT (°C)	102		
RELATIVE DENSITY	1.127 @ 20 °c		
FLASH POINT (°C)	Boils without flashing		

10 STABILITY AND REACTIVITY

STABILITY

No particular stability concerns.

MATERIALS TO AVOID

Strong acids. Aluminium, Tin, Zinc and their alloys.

11 TOXICOLOGICAL INFORMATION

LIFT

TOXICOLOGICAL INFORMATION

Refer to section 2.

Other Health Effects

Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

Not regarded as dangerous for the environment.

BIOACCUMULATION

The product does not contain any substances expected to be bioaccumulating.

DEGRADABILITY

Sequestrant is readily degraded during biological effluent treatment processes.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal by approved waste contractor. Consign empty container to normal waste.

14 TRANSPORT INFORMATION



PROPER SHIPPING NAME	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (disodium trioxosilicate)		
UN NO. ROAD	3266	ADR CLASS	Class 8: Corrosive substances.
ADR PACK GROUP	III	RID CLASS NO.	Class 8: Corrosive substances.
RID PACK GROUP	III	UN NO. SEA	3266
IMDG CLASS	Class 8: Corrosive substances.	IMDG PACK GR.	III
MARINE POLLUTANT	No.	UN NO. AIR	3266
AIR CLASS	Class 8: Corrosive substances.	AIR PACK GR.	III

15 REGULATORY INFORMATION

LABELLING



Irritant

RISK PHRASES

R36/38 Irritating to eyes and skin.

SAFETY PHRASES

S2 Keep out of the reach of children

S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S46 If swallowed, seek medical advice immediately and show this container or label.

LIFT

ENVIRONMENTAL LISTING

Hazardous Waste (England and Wales) Regulations.

EU DIRECTIVES

System of specific information relating to Dangerous Preparations. 2001/58/EC. As amended by Directive 93/112/EC, 2001/58/EC and 2006/8/EC.

STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations. 2008

APPROVED CODE OF PRACTICE

The compilation of safety Data Sheets L130.

GUIDANCE NOTES

Workplace Exposure Limits EH40. As amended in 2005. Approved guide to the Classification and Labelling of Substances and Preparations Dangerous for Supply. L100

16 OTHER INFORMATION

INFORMATION SOURCES

Approved Supply List - HSC (Health & Safety Commission) Material Safety Data Sheet, Misc. manufacturers.

REVISION COMMENTS

Safety Data Sheet was reviewed as previous issue was over 3 years - No changes were required - So re-issued with additions to Section 1 and change of order of sections 2 and 3 so compliant for REACH.

REVISION DATE 05/02/09

REV. NO./REPL. SDS Issue 3

GENERATED**RISK PHRASES IN FULL**

R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R22	Harmful if swallowed.
R34	Causes burns.
R36	Irritating to eyes.
R36/38	Irritating to eyes and skin.