



SAFETY DATA SHEET

Deb Cradle Skin Sanitiser

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Deb Cradle Skin Sanitiser
Product number CRA36O, CRA36ORS, 7720, 4609112

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses PT1 Human Hygiene Biocidal Product

1.3. Details of the supplier of the safety data sheet

Supplier Deb Ltd
 Denby Hall Way
 Denby
 Derbyshire
 DE5 8JZ
 Main Tel. 01773 855100
 Technical Tel 01773 855105
 reach@deb.co.uk

1.4. Emergency telephone number

Emergency telephone National Poisons Information Service (UK) 0344 8920111 (Health Professionals only)
 National Poisons Information Centre (Eire) 01-8092566/8379964

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Flam. Liq. 2 - H225
Health hazards Eye Irrit. 2 - H319
Environmental hazards Not Classified

Classification (67/548/EEC or 1999/45/EC) Xi;R41. F;R11.

Human health Irritating to eyes.

2.2. Label elements

Pictogram



Signal word Danger

Deb Cradle Skin Sanitiser

| | |
|---|---|
| Hazard statements | H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. |
| Precautionary statements | P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/ container in accordance with national regulations. |
| Supplemental label information | Eye protection not required normally but wear eye protection if you are conducting an operation where there is a risk of this product getting in the eyes. BPR001 Use biocides safely. Always read the label and product information before use. |
| Supplementary precautionary statements | P233 Keep container tightly closed. |

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| | | |
|--|--|--|
| ETHANOL | | 70.0% |
| CAS number: 64-17-5 | EC number: 200-578-6 | REACH registration number: 01-2119457610-43-XXXX |
| Classification | Classification (67/548/EEC or 1999/45/EC) | |
| Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 | F;R11 | |
| PROPAN-1-OL | | 10.0% |
| CAS number: 71-23-8 | EC number: 200-746-9 | REACH registration number: 01-2119486761-29-XXXX |
| Classification | Classification (67/548/EEC or 1999/45/EC) | |
| Flam. Liq. 2 - H225 Eye Dam. 1 - H318 STOT SE 3 - H336 | F;R11 Xi;R41 R67 | |

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

| | |
|-----------------------------|--|
| Composition comments | The data shown are in accordance with the latest EC Directives. |
| INCI | Alcohol Denat. Aqua Propyl Alcohol Glycerin Panthenol Acrylates/C10-30 Alkyl Acrylate Crosspolymer Triisopropanolamine |

SECTION 4: First aid measures

4.1. Description of first aid measures

Deb Cradle Skin Sanitiser

| | |
|----------------------------|---|
| General information | Get medical attention if any discomfort continues. |
| Inhalation | Due to the small packaging, the risk of inhalation is minimal. |
| Ingestion | DO NOT induce vomiting. Get medical attention immediately. |
| Eye contact | Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|---------------------|---|
| Inhalation | No specific symptoms known. |
| Ingestion | May cause nausea, headache, dizziness and intoxication. |
| Skin contact | None known. |
| Eye contact | May cause severe eye irritation. |

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|-----------------------------|------------------------------|
| Notes for the doctor | No specific recommendations. |
|-----------------------------|------------------------------|

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|-------------------------------------|---|
| Suitable extinguishing media | Extinguish with the following media: Water spray, fog or mist. Foam, carbon dioxide or dry powder. Dry chemicals, sand, dolomite etc. |
|-------------------------------------|---|

5.2. Special hazards arising from the substance or mixture

| | |
|--------------------------------------|---|
| Specific hazards | Highly flammable liquid and vapour. May form explosive mixture with air at very high concentration. |
| Hazardous combustion products | Oxides of carbon. |

5.3. Advice for firefighters

| | |
|--|---|
| Protective actions during firefighting | Cool containers exposed to flames with water until well after the fire is out. |
| Special protective equipment for firefighters | Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|-----------------------------|---|
| Personal precautions | Wear protective clothing as described in Section 8 of this safety data sheet. |
|-----------------------------|---|

6.2. Environmental precautions

| | |
|----------------------------------|--|
| Environmental precautions | Do not discharge into drains or watercourses or onto the ground. Contain spillage with sand, earth or other suitable non-combustible material. |
|----------------------------------|--|

6.3. Methods and material for containment and cleaning up

| | |
|--------------------------------|--|
| Methods for cleaning up | Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage. |
|--------------------------------|--|

6.4. Reference to other sections

| | |
|------------------------------------|---|
| Reference to other sections | For personal protection, see Section 8. |
|------------------------------------|---|

SECTION 7: Handling and storage

Deb Cradle Skin Sanitiser

7.1. Precautions for safe handling

Usage precautions Keep away from heat, sparks and open flame. Avoid contact with eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly closed original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame.

Storage class Flammable liquid storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

ETHANOL

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

PROPAN-1-OL

Long-term exposure limit (8-hour TWA): WEL 200 ppm 500 mg/m³

Short-term exposure limit (15-minute): WEL 250 ppm 625 mg/m³

Sk

GLYCERIN

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ mist

WEL = Workplace Exposure Limit

Sk = Can be absorbed through the skin.

Ingredient comments None.

ETHANOL (CAS: 64-17-5)

DNEL

Professional - Inhalation; local effects: 1900 mg/m³

Professional - Dermal; Long term systemic effects: 343 mg/kg/day

Professional - Inhalation; Long term systemic effects: 950 mg/m³

Consumer - Inhalation; local effects: 950 mg/m³

Consumer - Dermal; Long term systemic effects: 206 mg/kg/day

Consumer - Inhalation; Long term systemic effects: 114 mg/m³

Consumer - Oral; Long term systemic effects: 87 mg/kg/day

PNEC

- Marine water; 0.79 mg/l

- Fresh water; 0.96 mg/l

- Intermittent release; 2.75 mg/l

- STP; 580 mg/l

- Sediment (Freshwater); 3.46 mg/kg

- Sediment (Marinewater); 2.9 mg/l

- Soil; 0.63 mg/kg

PROPAN-1-OL (CAS: 71-23-8)

Deb Cradle Skin Sanitiser

| | |
|-------------|---|
| DNEL | Industry - Dermal; Long term systemic effects: 136 mg/kg/day Industry - Inhalation; Short term systemic effects: 1723 mg/m ³ Consumer - Inhalation; Short term systemic effects: 1036 mg/m ³ Industry - Inhalation; Long term systemic effects: 268 mg/m ³ Consumer - Oral; Long term systemic effects: 61 mg/m ³ Consumer - Inhalation; Long term systemic effects: 80 mg/m ³ Consumer - Dermal; Long term systemic effects: 81 mg/kg/day |
|-------------|---|

| | |
|-------------|---|
| PNEC | - STP; 96 mg/l - Intermittent release; 10 mg/l - Fresh water; 10 mg/l - Marine water; 1 mg/l - Sediment (Marinewater); 2.28 mg/kg - Sediment (Freshwater); 22.8 mg/kg - Soil; 2.2 mg/kg |
|-------------|---|

1,1',1"-NITRILOTRIPROPAN-2-OL (CAS: 122-20-3)

| | |
|-------------|--|
| DNEL | Workers - Inhalation; Long term systemic effects: 86 mg/m ³ Workers - Dermal; Long term systemic effects: 50 mg/kg/day General population - Inhalation; Long term systemic effects: 21 mg/m ³ General population - Dermal; Long term systemic effects: 25 mg/kg/day General population - Oral; Long term systemic effects: 9.7 mg/kg/day |
|-------------|--|

| | |
|-------------|--|
| PNEC | - Fresh water; 0.71 mg/l - Marine water; 0.071 mg/l - Intermittent release; 7.1 mg/l - STP; 2.26 mg/l - Sediment (Freshwater); 7.88 mg/kg - Sediment (Marinewater); 0.788 mg/kg - Soil; 1.16 mg/kg |
|-------------|--|

8.2. Exposure controls

Protective equipment



| | |
|---|---|
| Appropriate engineering controls | Not relevant. |
| Eye/face protection | Not required normally but wear eye protection if you are conducting an operation where there is a risk of this product getting in the eyes. |
| Hand protection | Not relevant. |
| Other skin and body protection | Not relevant. |
| Hygiene measures | DO NOT SMOKE IN WORK AREA! Promptly remove any clothing that becomes contaminated. |
| Respiratory protection | Not relevant. |

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

| | |
|-------------------|-----------------|
| Appearance | Viscous liquid. |
|-------------------|-----------------|

Deb Cradle Skin Sanitiser

| | |
|---|---|
| Colour | Colourless. |
| Odour | Characteristic. |
| Odour threshold | Not determined. |
| pH | pH (concentrated solution): 6.5-7.5 |
| Melting point | Not determined. |
| Initial boiling point and range | Not determined. |
| Flash point | 19 Deg C°C |
| Evaporation rate | Not determined. |
| Upper/lower flammability or explosive limits | Not determined. |
| Vapour pressure | Not determined. |
| Vapour density | Not determined. |
| Relative density | Not determined. |
| Partition coefficient | Not determined. |
| Auto-ignition temperature | Not determined. |
| Decomposition Temperature | Not determined. |
| Viscosity | Not determined. |
| Explosive properties | Not determined. |
| Oxidising properties | Does not meet the criteria for classification as oxidising. |

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability No particular stability concerns.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Not known.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products Oxides of carbon.

Deb Cradle Skin Sanitiser

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Respiratory Sensitisation

Eye Irritation/Damage

Skin Sensitisation

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Highly irritating. OECD 438

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vivo Does not contain any substances known to be mutagenic.

Carcinogenicity

Carcinogenicity Does not contain any substances known to be carcinogenic.

Reproductive toxicity

Reproductive toxicity - development Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

General information

No specific health hazards known.

Inhalation

No specific health hazards known.

Ingestion

May cause nausea, headache, dizziness and intoxication.

Skin contact

Skin irritation should not occur when used as recommended.

Eye contact

Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.

Deb Cradle Skin Sanitiser

Toxicological information on ingredients.

ETHANOL

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 10,470.0

Species Rat

ATE oral (mg/kg) 10,470.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 20,000.0

Species Rabbit

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ vapours mg/l) 117.0

Species Rat

ATE inhalation (vapours mg/l) 117.0

Skin corrosion/irritation

Animal data Oedema score: Very slight oedema -barely perceptible (1).

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

PROPAN-1-OL

Acute toxicity - oral

Notes (oral LD₅₀) LD50 >2000 mg/Kg Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 4,000.0

Species Rabbit

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC50 >20mg/L 4h Rat

Skin corrosion/irritation

Animal data Erythema/eschar score: No erythema (0). Oedema score: No oedema (0).

Serious eye damage/irritation

Serious eye damage/irritation H318

SECTION 12: Ecological Information

Ecotoxicity The product is not expected to be hazardous to the environment.

12.1. Toxicity

Deb Cradle Skin Sanitiser

Toxicity The product is not expected to be toxic to aquatic organisms.

Ecological information on ingredients.

ETHANOL

| | |
|---|--|
| Acute toxicity - fish | LC ₅₀ , 96 hours: 15300 mg/l, Pimephales promelas (Fat-head Minnow) LC ₅₀ , 96 hours: mg/l, Fish |
| Acute toxicity - aquatic invertebrates | EC ₅₀ , > 48 hours: 10000 mg/l, Daphnia magna EC ₅₀ , 48 hours: mg/l, Daphnia magna EC ₅₀ , : 858 24H mg/l, Marinewater invertebrates |
| Acute toxicity - aquatic plants | EC ₅₀ , 72 hours: 275 mg/l, Freshwater algae IC ₅₀ , 72 hours: 5000 mg/l, Algae |

PROPAN-1-OL

| | |
|---|---|
| Acute toxicity - fish | LC ₅₀ , 96 hours: 4480 mg/l, Fish |
| Acute toxicity - aquatic invertebrates | EC ₅₀ , 48 hours: 3644 mg/l, Daphnia magna |
| Acute toxicity - aquatic plants | EC ₅₀ , 192 hours: 3100 mg/l, Freshwater algae |
| Acute toxicity - microorganisms | IC ₅₀ , 3 hour: >1000 mg/l, Activated sludge |

12.2. Persistence and degradability

Persistence and degradability The product is expected to be biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

12.4. Mobility in soil

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Disposal methods Reuse or recycle products wherever possible. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

14.1. UN number

Deb Cradle Skin Sanitiser

| | |
|------------------|------|
| UN No. (ADR/RID) | 1987 |
| UN No. (IMDG) | 1987 |
| UN No. (ICAO) | 1987 |

14.2. UN proper shipping name

| | |
|--------------------------------|---|
| Proper shipping name (ADR/RID) | ALCOHOLS, N.O.S. (ETHANOL, PROPAN-1-OL) |
| Proper shipping name (IMDG) | ALCOHOLS, N.O.S. (ETHANOL, PROPAN-1-OL) |
| Proper shipping name (ICAO) | ALCOHOLS, N.O.S. (ETHANOL, PROPAN-1-OL) |
| Proper shipping name (ADN) | ALCOHOLS, N.O.S. (ETHANOL, PROPAN-1-OL) |

14.3. Transport hazard class(es)

| | |
|---------------------|---|
| ADR/RID class | 3 |
| ADR/RID label | 3 |
| IMDG class | 3 |
| ICAO class/division | 3 |

Transport labels



14.4. Packing group

| | |
|-----------------------|----|
| ADR/RID packing group | II |
| IMDG packing group | II |
| ICAO packing group | II |

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

| | |
|--|----------|
| EmS | F-E, S-D |
| Emergency Action Code | •3YE |
| Hazard Identification Number (ADR/RID) | 33 |
| Tunnel restriction code | (D/E) |

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Deb Cradle Skin Sanitiser

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Commission Directive 91/322/EEC of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks related to exposure to chemical, physical and biological agents at work.

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).

REGULATION (EU) No 528/2012 (as amended) concerning the making available on the market and use of biocidal products.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

| | |
|---|--|
| General information | Use biocides safely. Always read the label and product information before use. Only trained personnel should use this material. |
| Key literature references and sources for data | Where Exposure Scenarios for the substances listed in Section 3 are available they have been assessed for the uses identified in this data sheet or on the product label and the appropriate relevant information is incorporated into this Safety Data Sheet. |
| Revision comments | SDS amended in line with REGULATION (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures (as amended) |
| Revision date | 10/11/2016 |
| Revision | 6 |
| Supersedes date | 21/10/2015 |
| Risk phrases in full | R11 Highly flammable R41 Risk of serious damage to eyes. R67 Vapours may cause drowsiness and dizziness. |
| Hazard statements in full | H225 Highly flammable liquid and vapour. H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. |
| Notes for Risk Phrases and Hazard Statements in Full | The full text for Risk Phrases and Hazard Statements in section 16 relates to the reference numbers in sections 2 and 3 and not necessarily the finished product classification. |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.