





SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name MAXIMA
Product No. F119

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Hard surface cleaner

1.3. Details of the supplier of the safety data sheet

Selden Research Limited t : 01298 26226 Staden Lane Ashbourne Road f : 01298 26540

e: safety@selden.co.uk

Buxton Derbyshire SK17 9RZ United Kingdom

1.4. Emergency telephone number

01298 26226

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (67/548/EEC) Xi;R36/38.

2.2. Label elements

Detergent Labelling: < 5% non-ionic surfactants

< 5% amphoteric surfactants < 5% anionic surfactants

Labelling



Irritant (Xi)

Risk Phrases R36/38 Irritating to eyes and skin.
Safety Phrases S2 Keep out of the reach of children.

S23 Do not breathe vapour/spray.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

 ${\tt S36/37/39}\ We ar\ suitable\ protective\ clothing,\ gloves\ and\ eye/face\ protection.$

S46 If swallowed

Seek medical advice immediately and show this container or label.

S51 Use only in well-ventilated areas.

2.3. Other hazards

No other hazards known

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not Applicable

3.2. Mixtures

2-(2-BUTOXYETHOXY)ETHANOL 1-5%

CAS-No.: 112-34-5 EEC (EINECS) No. 203-961-6

MSDS: F119 - MAXIMA Page 1 of 6





F119

Classification (EC 1272/2008) Eye irritation, category 2 - H319	Classification (67/548/EEC) Xi;R36
2-BUTOXYETHANOL CAS-No.: 111-76-2 EEC (EINECS) No. 203-905-0	1-59
Classification (EC 1272/2008) Acute toxicity, category 4 - inhalation - H332 Acute toxicity, category 4 - Dermal - H312 Acute toxicity, category 4 - Oral - H302 Eye irritation, category 2 - H319 Skin irritation, category 2 - H315	Classification (67/548/EEC) Xn;R20/21/22 Xi;R36/38
DISODIUM METASILICATE CAS-No.: 6834-92-0 EEC (EINECS) No. 229-912-9	1-5%
Classification (EC 1272/2008) Skin corrosion, categories 1A, 1B, 1C - H314 STOT***, single exposure, category 3 - Respiratory track irritation - H335	Classification (67/548/EEC) C;R34 Xi;R37
Sodium alkyl benzene sulphonate CAS-No.: 85117-50-6 EEC (EINECS) No. 285-600-2	1-59
Classification (EC 1272/2008) Acute toxicity, category 4 - Oral - H302 Skin irritation, category 2 - H315 Serious eye damage, category 1 - H318	Classification (67/548/EEC) Xn;R22 Xi;R38,R41

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information

Inhalation Move the exposed person to fresh air at once., Rinse nose and mouth with water., Get medical attention if any

discomfort continues.

Ingestion Remove victim immediately from source of exposure., Rinse mouth thoroughly., Drink plenty of water., Get medical

attention

Skin contact Remove affected person from source of contamination., Remove contaminated clothing., Wash the skin immediately

with soap and water., Get medical attention if irritation persists after washing.

Eye contact Make sure to remove any contact lenses from the eyes before rinsing., Promptly wash eyes with plenty of water

while lifting the eye lids., Continue to rinse for at least 15 minutes., Get medical attention if any discomfort

continues.

4.2. Most important symptoms and effects, both acute and delayed

Ingestion May cause burns in mucous membranes, throat, oesophagus and stomach., May cause stomach pain or

vomiting.

Skin contact Irritating to skin., Prolonged or repeated exposure may cause severe irritation.

Eye contact May cause severe irritation to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat Symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

This product is not flammable., Use fire-extinguishing media appropriate for surrounding metasials.

surrounding materials.

5.2. Special hazards arising from the substance or mixture

Unsuitable extinguishing media

5.3. Advice for firefighters

Special Fire Fighting Procedures

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

MSDS: F119 - MAXIMA language: english Page 2 of 6







6.1. Personal precautions, protective equipment and emergency procedures

For personal protection, see section 8.

6.2. Environmental precautions

Any spillage needs to be contained and not allowed to enter water courses, Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Wear necessary protective equipment., Absorb in vermiculite, dry sand or earth and place into containers., Do not contaminate water sources or sewer., Flush with plenty of water to clean spillage area.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid spilling, skin and eye contact.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place., Keep in original container.

7.3. Specific end use(s)

See product label for detailed usage and instructions.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA - 8 Hrs	STEL - 15 Min Notes
2-(2-BUTOXYETHOXY)ETHANOL	WEL	10 ppm67.5 mg/m3	15 ppm101.2 mg/m3
2-BUTOXYETHANOL	WEL	25 ppm(Sk)	50 ppm(Sk)

WEL = Workplace Exposure Limits

8.2. Exposure controls

Protective equipment



Engineering measures Provide adequate general and local exhaust ventilation.

Hand protection Use protective gloves.

Eye protection Wear approved safety goggles.

Other Protection General workwear only

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Clear, Liquid
Colour Dark., Blue.
Odour Solvent.

Relative density 1.084-1.094@ 20 °c

pH-Value, Conc. Solution >13.0

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Stable under normal temperature conditions.

10.2. Chemical stability

MSDS: F119 - MAXIMA language: english Page 3 of 6





Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

None known

10.4. Conditions to avoid

The solution is strongly alkaline and reacts with strong acids with heat generation.

10.5. Incompatible materials

Strong acids., Do not mix or use with other products.

10.6. Hazardous decomposition products

Fire or high temperatures create:, Toxic gases/vapours/fumes of:, Carbon dioxide (CO2)., Carbon monoxide (CO).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxicological information No toxicological data is available for this mixture, however data can be provided for specific raw materials upon

request.

Ingestion May cause burns in mucous membranes, throat, oesophagus and stomach., May cause stomach pain or vomiting.

Skin contact Irritating to skin., Prolonged or repeated exposure may cause severe irritation.

Eye contact May cause severe irritation to eyes.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Not classed as Hazardous to the Environment but release to the environment should be avoided.

12.2. Persistence and degradability

Degradability

The surfactants contained within the product comply with the biodegradability criteria as laid down in Regulation

(EC) No 648/2004.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility: The product contains substances, which are water soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or PvB substances

12.6. Other adverse effects

None known

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

MSDS: F119 - MAXIMA language: english Page 4 of 6





UN No. (ADR/RID/ADN) 1760 UN No. (IMDG) 1760 UN No. (ICAO) 1760

14.2. UN proper shipping name

CORROSIVE LIQUID, NOS (Sodium hydroxide, disodium metasilicate) Proper Shipping Name:

14.3. Transport hazard class(es)

ADR/RID/ADN Class Class 8: Corrosive substances.

IMDG Class

Transport Labels



14.4. Packing group

ADR/RID/ADN Packing group Ш Ш IMDG Packing group Ш ICAO Packing group

14.5. Environmental hazards

Environmentally Hazardous substance/Marine Pollutant

14.6. Special precautions for user

Tunnel Restriction Code F

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

UK Regulatory References The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments. **Environmental Listing** Rivers (Prevention of Pollution) Act 1961., Control of Pollution (Special Waste Regulations) Act 1980.

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716)., Control of Statutory Instruments

Substances Hazardous to Health.

Approved Code Of Practice

Guidance Notes

EU Legislation

Classification and Labelling of Substances and Preparations Dangerous for Supply. Workplace Exposure Limits EH40., Introduction to Local Exhaust Ventilation HS(G)37.

System of specific information relating to Dangerous Preparations. 2001/58/EC., Dangerous Preparations Directive 1999/45/EC., Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments., Regulation (EC) No 1272/2008 of

the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006 with amendments.

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2007 (CDG 2007). National Regulations

15.2. Chemical Safety Assessment

No chemical assessment has been carried out as this Safety Data Sheet is for a mixture

SECTION 16: OTHER INFORMATION

General information

The following risk phrases relate to the raw materials in the product and not the product itself:-

Revision Comments

Safety Data Sheet revised to be in accordance with EU Regulation No 453/2010 - REACH Regulations.

Revision Date 12/02/2013

Revision 6

Risk Phrases In Full R20/21/22 Harmful by inhalation, in contact with skin and if swallowed., R36/38 Irritating to eyes and skin. R34

MSDS: F119 - MAXIMA language: english Page 5 of 6





F119

Causes burns., R37 Irritating to respiratory system. \mid R36 Irritating to eyes. \mid R22 Harmful if swallowed., R38 Irritating to skin., R41 Risk of serious damage to eyes. \mid

Hazard Statements In Full H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

MSDS: F119 - MAXIMA Page 6 of 6